



## Methylene Chloride (CH<sub>2</sub>Cl<sub>2</sub>)

### Degreasing Grade

<u>COMPONENT</u>	<u>SPECIFICATIONS</u>
Color, APHA	10 max.
Specific Gravity @ 25/25°C	1.314- 1.318
Acidity, ppm as HCl	5 max.
Acid Acceptance, as NaOH, wt%	0.30 min.
Nonvolatile Matter, ppm	10 max.
Water, ppm	100 max.
Free Halogens (ASTM D 4755)	Passes Test
Appearance	Clear, free from suspended matter

### TYPICAL PROPERTIES

Distillation Range, 760 mm., °C 39.5 - 41.9

Typical properties are listed for information only and are not to be considered as specification requirements. These items are not analyzed on a routine basis. Product meeting the specification test items will exhibit the listed typical properties.

This grade methylene chloride is specially inhibited for use in vapor degreasing applications. Meets requirements of ASTM Specification D4079-00 for Vapor Degreasing Grade Methylene Chloride.

### CONTAINERS:

Tank Cars - Lined 20,000-gallon cars and maximum weight load of 197,000 lbs.

Tank Trucks (stainless) - Shell capacity of maximum weight load of 4,400 gallons

Drums - 600-pound net, 647-pound gross weight drums, nonreturnable, UN 1A1/Y1.8/300

Form#: 523 09/2023



14555 Dallas Parkway, Suite 400  
Dallas, TX 75254  
800-752-5151

**Important: The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our current knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal, and other factors that may involve other or additional legal, environmental, safety or performance considerations, and Occidental Chemical Corporation assumes no liability whatsoever for the use of or reliance upon this information. Appropriate handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.**