



# Ethylene Dichloride Temperature-Density Table

Temperature °F	Density Lbs/Gallon	Temperature °F	Density Lbs/Gallon	Temperature °F	Density Lbs/Gallon
10	10.8564	41	10.6406	72	10.4332
11	10.8494	42	10.6338	73	10.4267
12	10.8423	43	10.6270	74	10.4201
13	10.8352	44	10.6202	75	10.4136
14	10.8281	45	10.6134	76	10.4070
15	10.8210	46	10.6066	77	10.4005
16	10.8140	47	10.5998	78	10.3940
17	10.8070	48	10.5931	79	10.3875
18	10.7999	49	10.5863	80	10.3810
19	10.7929	50	10.5796	81	10.3745
20	10.7859	51	10.5728	82	10.3680
21	10.7789	52	10.5661	83	10.3616
22	10.7719	53	10.5594	84	10.3551
23	10.7649	54	10.5527	85	10.3486
24	10.7579	55	10.5459	86	10.3422
25	10.7509	56	10.5392	87	10.3357
26	10.7440	57	10.5326	88	10.3293
27	10.7370	58	10.5259	89	10.3229
28	10.7301	59	10.5192	90	10.3165
29	10.7231	60	10.5125	91	10.3100
30	10.7162	61	10.5059	92	10.3036
31	10.7093	62	10.4992	93	10.2973
32	10.7024	63	10.4926	94	10.2909
33	10.6955	64	10.4860	95	10.2845
34	10.6886	65	10.4793	96	10.2781
35	10.6817	66	10.4727	97	10.2718
36	10.6749	67	10.4661	98	10.2654
37	10.6680	68	10.4595	99	10.2591
38	10.6611	69	10.4529	100	10.2527
39	10.6543	70	10.4464	101	10.2464
40	10.6475	71	10.4398	102	10.2401

550-101 Ethylene Dichloride 04/2022



Wichita Technical Service Department  
6200 South Ridge Road, Wichita, KS 67215  
Tel: 800-733-1165 ext. 1  
OxyChem\_Tech\_Service@oxy.com

**Important: The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal, and other factors that may involve other or additional legal, environmental, safety or performance considerations, and Occidental Chemical Corporation assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.**