



Dielectric Properties of Chlorinated Solvents

A dielectric is a material having a relatively low electrical conductivity; an insulator. The principal properties of a dielectric are its dielectric constant and its dielectric strength.

Dielectric constant is a value that serves as an index of the ability of a substance to resist the transmission of an electrostatic force from one charged body to another. It represents the factor by which the electric field strength in a vacuum exceeds that in the dielectric for the same distribution of charge. The lower the value the greater the resistance. The dielectric constant is a unitless number.

Dielectric strength, sometimes called breakdown potential, is the maximum electric field that an insulator or dielectric can withstand without breakdown. At breakdown, a considerable current passes as an arc, usually with decomposition of the material along the path of the current.

Dielectric Constants of Chlorinated Solvents	
Chlorinated Solvent	Dielectric Constant*
Perchloroethylene	2.30
Methylene Chloride	9.08
* Dean, J. A.: "Lange's Handbook of Chemistry," 13th Ed., McGraw Hill (1985)	

Dielectric Strength of OxyChem Chlorinated Solvents				
OxyChem Solvent	Product Grade	Dielectric Strength (Volts/0.1 in.)	Standard Deviation	Temp (°C)
Perchloroethylene	Technical	>39,500		26.0
	Vapor Degreasing	37,500	600	26.5
	Industrial	>39,500		23.2
Methylene Chloride	Technical	Approx. 4,000		25.0
Dielectric strengths were determined with a GE Portable Oil Tester, Model 9T11Y6454, Volts 50/60 Cycle according to ASTM D877-84a. The tester has limitations above 39,500 volts.				

Further Technical Information can be found by calling or writing:

Oxy Chem
Technical Service Center
PO Box 12283
Wichita, KS 67277-2283
800.733.1165 Ext. 1
www.oxychem.com

Important: The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal and other factors that may involve other or additional legal, environmental, safety or performance considerations, and OxyChem assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.