



Responsible Care
Good Chemistry at Work

OxyChem® A Subsidiary of Occidental Petroleum Corporation

Methyl Chloride

(CH₃Cl)

TECHNICAL GRADE

<u>COMPONENT</u>	<u>SPECIFICATIONS</u>
Methyl Chloride, wt%	99.95 min.
Dimethyl Ether, ppm	20 max.
Lower Boiling Compounds, ppm	250 max.
Higher Boiling Compounds, ppm	100 max.
Water, ppm	80 max.
Acidity, ppm as HCl	10 max.
Nonvolatile Residue, ppm	100 max.

CONTAINERS:

Tank Cars (DOT 105J300W and DOT 112J340W) - 25,000 and 26,000 gallon

Tank Trucks (DOT MC-331) - Maximum weight load of approximately 42,000 pounds



Occidental Chemical Company
Basic Chemicals Group
Occidental Tower
5005 LBJ Freeway
Dallas, TX 75244
800-752-5151

Important! The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. No warranty or guaranty, expressed or implied, is made regarding performance, stability or otherwise. This information is not intended to be all-inclusive as the manner and conditions of use, handling storage and other factors may involve other or additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as a recommendation to infringe any existing patents or to violate any Federal, State or local laws.

01/06

Form No.: 510