



Responsible Care
Good Chemistry at Work

OxyChem® A Subsidiary of Occidental Petroleum Corporation

Perchloroethylene (C₂Cl₄)

FLUOROCARBON (PTAP) GRADE

COMPONENT

Perchloroethylene, wt%
Color, APHA
Appearance (D3741-B)
Specific Gravity @ 25/25°C
Nonvolatile Residue, ppm
Water, ppm
Chlorides, ppm
Free Halogens (ASTM D 4755)

SPECIFICATIONS

99.99 min.
10 max.
Passes Test
1.617 - 1.621
10 max.
25 max.
1 max.
Passes Test

TYPICAL PROPERTIES

Distillation Range, 760 mm, °C

120.6 - 121.6

Typical properties are listed for information only, and are not to be considered as specification requirements. These items are not analyzed on a routine basis. Product meeting the specification test items will exhibit the listed typical properties.

CONTAINERS:

Tank Cars - Lined 20,000 gallon cars and maximum weight load of 197,000 lbs.
Tank Trucks (stainless) - Shell capacity or maximum weight load of 3,600 gallons
Drums - 700 pound net, 747 pound gross weight drums, nonreturnable, UN 1A1/Y1.8/300



Occidental Chemical Corporation
Basic Chemicals Group
Occidental Tower
5005 LBJ Freeway
Dallas, TX 75244
800-752-5151

Important! The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. No warranty or guaranty, expressed or implied, is made regarding performance, stability or otherwise. This information is not intended to be all-inclusive as the manner and conditions of use, handling storage and other factors may involve other or additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as a recommendation to infringe any existing patents or to violate any Federal, State or local laws.

01/06

Form No.: 587